1	RADIO WAVE ABSORBER	41	SHIP COLLISION AVOIDANCE
2	.For aircraft or missile	42	RADAR TRANSPONDER SYSTEM
3	.For camouflage	43	.Combined with primary radar
4	.With particular geometric		system
-	configuration	44	.Unique identity
5	RADAR REFLECTOR	45	.IFF or SIF
6	.With modulation	46	.Navigational
7	.Corner	47	Distance measuring equipment
8	Inflatable or collapsable		(DME)
9	Decoy or tow target	48	With automatic lock-on
10	.Inflatable or collapsable	49	With VOR/TACAN
11	.With spherical lens (e.g.,	50	.With Telemetry
11	Luneberg lens)	51	.Transponder only
12	.Chaff	52	COMBINED WITH DIVERSE TYPE
13	RADAR EW (ELECTRONIC WARFARE)		RADIANT ENERGY SYSTEM
14	.ECM (Electronic countermeasures,	53	.With infrared device
	i.e., jamming)	54	.With laser
15	With repeater	55	.With television
16	.ECCM (Electronic counter-	56	.With direction finding
10	countermeasures, i.e.,	57	.With radio voice communication
	antijamming)	58	.With transmission to a remote
17	Radar reacts to jamming		station
18	By changing frequency	59	PLURAL RADAR
19	By varying gain or blocking	60	TRANSMITTING INTELLIGENCE
17	receiver	61	RETURN SIGNAL CONTROLS EXTERNAL
20	.Detection of surveilance		DEVICE
21	BASE BAND SYSTEM	62	.Missile or spacecraft guidance
22	TRANSMISSION THROUGH MEDIA OTHER	63	.Aircraft quidance
22	THAN AIR OR FREE SPACE	64	With map matching
23	BERTHING OR DOCKING	65	With terrain avoidance or alarm
24	BLIND AID	66	.Camera
25	SYNTHETIC APERTURE RADAR	67	.Gun (e.g., fire control)
26	WEATHER RADAR	68	.Proximity fuze
27	PRESENCE DETECTION ONLY	69	.Device actuated by presence of
28	.By motion detection		land vehicle
29	AIRCRAFT COLLISION AVOIDANCE	70	.Radar mounted on and controls
	SYSTEM (CAS)		land vehicle
30	.With transponder	71	With control of brakes or
31	Including synchronized clock		steering
32	Included in Secondary	72	With control of safety device
	Surveilance Radar (SSR) or Air		(e.g., air bags)
	Traffic Control Radio Beacon	73	RETURN SIGNAL CONTROLS RADAR
	System (ATCRBS)		SYSTEM
33	AIRCRAFT LANDING SYSTEM	74	.Antenna control
34	.Ground control approach (GCA)	75	Physical orientation
35	.Microwave landing system (MLS)	76	With ground tracking
36	AIR TRAFFIC CONTROL	77	With signal error correction
37	.Secondary Surveilance Radar	78	Conical scan
	(SSR) or Air Traffic Control	79	Lobe switching
	Radar Beacon System (ATCRBS)	80	Monopulse
38	With altitude information	81	Beam direction by phase or
39	With side lobe suppression		frequency control
40	With defruiting or degarbling	82	.Transmitter

342 - 2 CLASS 342 COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS AND DEVICES (E.G., RADAR, RADIO NAVIGATION)

83	Signal phase or frequency other	120	.Altimeter
	than pulse repetition	121	With additional indicator
	frequency (PRF)	122	FM type
84	Function of doppler frequency	123	.Height finder
85	Function of distance	124	.Material level within container
86	With constant phase	125	.With remote cooperating station
87	With constant beat frequency	126	.Triangulation
88	Transmission timing (e.g., ring	127	.Phase comparison
	around)	128	.With frequency modulation
89	.Receiver	129	Plural frequencies transmitted
90	Automatic target detection	130	Plural modulation
91	Gain or threshold	131	Combined with pulse modulation
92	Automatic gain control (AGC)	131	(e.g., frequency agile)
93	Constant false alarm rate	132	With pulse modulation (e.g.,
73	(CFAR)	132	"Chirp")
94	Gating	133	Combined with determining
95	Automatic range tracking		direction
96	Automatic track while scan	134	.With pulse modulation
	(ATWS)	135	Digital (e.g., with counter)
97	With automatic lock-on	136	With plural fixed range gates
98	Frequency	137	With variable pulse repetition
99	Doppler frequency tracking		frequency (PRF) or pulse width
100	Wtih local osillator control	138	With type "A" or "J" range
101	With filter control		scope
102	Phase	139	Combined with determining
103	Phase locked loop		direction
104	DETERMINING VELOCITY	140	With azimuth and elevation
105	.Other than doppler (e.g., range		determination
	rate)	141	Off boresight
106	.Combined with determining	142	With CRT display
	acceleration	143	Plural
107	.Combined with determining	144	PPI type
	distance and direction	145	.With correlation
108	With correlation	146	.Combined with determining
109	.Combined with determining		direction
_0,	distance	147	DETERMINING DIRECTION
110	With plural fixed range gates	148	.Low angle processing
111	With plural receiver frequency	149	.Monopulse
	band separation	150	With common IF channel
112	With plural frequencies	151	With channel equalization
	transmission	152	With quadrature difference
113	.Combined with determining	132	processing
113	direction (i.e., bearing)	153	
114	.Combined with determining sense	133	With particular antenna or waveguide
	of motion (i.e., approaching	154	Combined with beam steering
	or receding)	155	.Lobe switching
115	.Digital	156	.Interferometer
116	.With plural received frequency	157	
110	band separation	_	.With frequency or phase steering
117	.With plural beams (e.g.,	158	.Scanning
	"Janus")	159	CLUTTER ELIMINATION
118	DETERMINING DISTANCE	160	.MTI (Moving target indicator)
119	.Miss distance indicator (MDI)		
	albeance indicator (PDI)		

161	With vehicle movement	353	Having a signal repeater
	compensation (e.g., AMTI	354	With beam steering
	(Airborn MTI))	355	With control of satellite
162	Digital		altitude
163	With blind speed elimination	356	Synchronous satellite
164	With storage tube	357.01	With position indicating
165	TESTING OR CALIBRATING OF RADAR	357.02	With accuracy enhancing
	SYSTEM	357.03	Using differential correction
166	.Proximity fuze	357.04	With ambiguity resolving
167	.With laser	357.05	Using Doppler frequency shift
168	.With noise generation	357.06	Using Global Positioning
169	.By simulation		Satellite (GPS or Glonass)
170	Microwave	357.07	Tracking or monitoring (i.e.,
171	Doppler		lost or stolen vehicles)
172	With delay	357.08	Determining relative position
173	.By monitoring		(e.g., distance or direction)
174	Calibrating	357.09	With transmission of
175	WITH PARTICULAR CIRCUIT		location-indicative
176	.Display		information to or from a
177	Plural		remote station
178	Projection type	357.1	Combined with
179	Image production		telecommunication
180	Stereoscopic or tridimensional	357.11	Attitude determination
181	Color	357.12	GPS receiver signal
182	Electronic marker generation		processing
183	Cursor	357.13	With storage device (i.e.,
184	With stabilization (e.g., True		map or database)
101	Motion, True North)	357.14	Combined with secondary
185	Scan conversion		navigation system (i.e.,
186	With sweep expansion		LORAN, gyroscope, inertial,
187	.Augmenter		dead reckoning, etc.)
188	.With polarization	357.15	Satellite selection (i.e.,
189	.For correlation		tracking or acquisition)
190	.With recording	357.16	Using low Earth orbit
191	_		(telecommunication) satellites
191	Mapping	357.17	With particular action taken
	.Spectrum analysis		responsive to position
193	Harmonic	358	With satellite signal
194	.Complex signal (in phase and		correction
105	quadrature)	359	.Including antenna orientation
195	.Digital processing	360	.Including antenna pattern
196	Fast fourier transform (FFT)		plotting
197	With video quantizer	361	.Including polarized signal
198	.For receiver protection		communication transmitter or
199	.Automatic frequency control		receiver
	(AFC)	362	Receiver only
200	.For frequency modulation	363	Circular
201	Combined with pulse modulation	364	Eliptical
202	.For pulse modulation	365	Circular
203	With noise reduction	366	Eliptical
204	With pulse shaping	367	Eliptical .Including directive
205	.Sensitivity time control (STC)	301	communication system
350	DIRECTIVE	368	.Including a steerable array
351	.Including a radiometer	369	Including a steerable arrayInjection radiation type
352	.Including a satellite		Retrodirective
		370	ketrodirective

342 - 4 CLASS 342 COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS AND DEVICES (E.G., RADAR, RADIO NAVIGATION)

371	With electronic scanning	412	Transmitter oly
372	Controlled	413	Localizer transmitter or
373	With a matrix		receiver
374	With a switch	414	Distinctive frequencies equi-
375	With a delay line (e.g.,		signal type
	serpentine transmission line,	415	Coded equi-signal (e.g., A
	frequency scanning)	113	and N type)
376		416	
3/0	Including a remote energy	410	Sequentially effective
	source	44.5	reflectors
377	Including a computer	417	Direction-finding receiver only
378	.Utilizing correlation techniques	418	Doppler
379	Side lobe elimination	419	Portable
380	Sum of each antenna channel	420	With error or deviatioan
	signal		compensator or eliminator
381	Difference of each antenna	421	Pulse-type noise elimination
332	channel signal		or compensation (e.g., sky
382	Mixing each antenna channel		waves)
302	3	422	,
202	signal	422	With self-orienting antenna
383	Sum of each antenna signal		pattern
384	Difference of each antenna	423	Plural antennas
	channel signal	424	Tracking interferometer
385	.Beacon or receiver	425	Conical scan antenna type
386	With transmisson of bearing or	426	Step track antenna type
	position determinative signals	427	Monopulse or pseuodo
387	Iso-chronic type		monopulse tracking antenna
388	Loran		type
389	Loran-C	428	With continuously movable
390	With cycle selection		antenna pattern
370	WICH CYCLC BCICCCION		
201	I oman A	429	Including a gtationary
391	Loran-A	429	Including a stationary
392	With automatic gain control		antenna
392 393	With automatic gain controlIso-frequency type	429 430	antennaIncluding plural moving
392 393 394	With automatic gain controlIso-frequency typeIso-phase type	430	<pre>antennaIncluding plural moving antennas</pre>
392 393	With automatic gain controlIso-frequency type	430 431	<pre>antennaIncluding plural moving antennasIncluding a goniometer</pre>
392 393 394	With automatic gain controlIso-frequency typeIso-phase type	430	<pre>antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna</pre>
392 393 394	<pre>With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne</pre>	430 431	<pre>antennaIncluding plural moving antennasIncluding a goniometer</pre>
392 393 394 395	<pre>With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronization</pre>	430 431	<pre>antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna</pre>
392 393 394 395	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDecca	430 431 432	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparing
392 393 394 395 396 397 398	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signal	430 431 432 433	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutated
392 393 394 395 396 397 398 399	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacan	430 431 432 433	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennas
392 393 394 395 396 397 398 399 400	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver only	430 431 432 433 434 435	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switching
392 393 394 395 396 397 398 399 400 401	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVOR	430 431 432 433 434 435 436	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulation
392 393 394 395 396 397 398 399 400 401 402	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDoppler	430 431 432 433 434 435	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two
392 393 394 395 396 397 398 399 400 401	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of	430 431 432 433 434 435 436 437	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennas
392 393 394 395 396 397 398 399 400 401 402 403	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennas	430 431 432 433 434 435 436 437	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding separate indicators
392 393 394 395 396 397 398 399 400 401 402 403	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVOR	430 431 432 433 434 435 436 437	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding separate indicatorsIncluding combined effect
392 393 394 395 396 397 398 399 400 401 402 403 404 405	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVORDoppler	430 431 432 433 434 435 436 437 438 439	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding more than two antennasIncluding combined effect indicator
392 393 394 395 396 397 398 399 400 401 402 403	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVOR	430 431 432 433 434 435 436 437 438 439	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding separate indicatorsIncluding combined effect indicatorIncluding a goniometer
392 393 394 395 396 397 398 399 400 401 402 403 404 405	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVORDoppler	430 431 432 433 434 435 436 437 438 439 440 441	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding separate indicatorsIncluding combined effect indicatorIncluding a goniometerHaving a goniometer
392 393 394 395 396 397 398 399 400 401 402 403 404 405	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVORDopplerWith circular array of	430 431 432 433 434 435 436 437 438 439	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding separate indicatorsIncluding combined effect indicatorIncluding a goniometer
392 393 394 395 396 397 398 399 400 401 402 403 404 405 406	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVORDopplerWith circular array of antennas	430 431 432 433 434 435 436 437 438 439 440 441	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding separate indicatorsIncluding combined effect indicatorIncluding a goniometerHaving a goniometer
392 393 394 395 396 397 398 399 400 401 402 403 404 405 406	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVORDopplerWith circular array of antennasVORDopplerWith circular array of antennasVORDopplerWith circular array of antennasFixed course or bearing indicating	430 431 432 433 434 435 436 437 438 439 440 441 442	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding more than two antennasIncluding combined effect indicatorIncluding a goniometerHaving a goniometerHaving a phase detector
392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVORDopplerWith circular array of antennasVORDopplerWith circular array of antennasVORDopplerWith circular array of antennasVORDopplerWith circular array of antennasVOR	430 431 432 433 434 435 436 437 438 439 440 441 442 443	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding more than two antennasIncluding separate indicatorsIncluding combined effect indicatorIncluding a goniometerHaving a goniometerHaving a direction indicator
392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVORDopplerWith circular array of	430 431 432 433 434 435 436 437 438 439 440 441 442 443 444	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding more than two antennasIncluding separate indicatorsIncluding combined effect indicatorIncluding a goniometerHaving a goniometerHaving a direction indicatorHaving a direction indicatorHaving plural receivers
392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVORDopplerWith circular array of antennasClide slope transmitter or	430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding more than two antennasIncluding separate indicatorsIncluding combined effect indicatorIncluding a goniometerHaving a goniometerHaving a phase detectorHaving blural receiversHaving more than two antennas
392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409	With automatic gain controlIso-frequency typeIso-phase typeWith hetrodyne synchronizationOmegaDeccaRotating beacon signalTacanReceiver onlyVORDopplerWith circular array of antennasVORDopplerWith circular array of	430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445	antennaIncluding plural moving antennasIncluding a goniometerWith plural fixed antenna pattern comparingSuccessively commutatedIncluding more than two antennasBy diode switchingBy modulationIncluding more than two antennasIncluding more than two antennasIncluding separate indicatorsIncluding combined effect indicatorIncluding a goniometerHaving a goniometerHaving a phase detectorHaving a direction indicatorHaving more than two antennasUnequal distance between at

448	Having a coil or loop type antenna
449	Having a moving antenna
450	.Position indicating (e.g.,
	triangulation)
451	By computer
452	By plotting table
453	By deflected or repeated signal
454	Traffic
455	Having collision avoidance
456	Having traffic control
457	Land vehicle location (e.g.,
	bus, police car
458	Distance
459	Underground object location
460	Storm or atomic explosion
	location
461	With speed determination
462	With altitude determination
463	Having plural transmitters or
	receivers
464	Plural transmitters only
465	Plural receivers only

FOREIGN ART COLLECTIONS

Any foreign patents or non-patent literature from subclasses that have been reclassified have been transferred directly to FOR Collection listed below. These collections contain ONLY foreign patents or nonpatent literature. The parenthetical references in the Collection titles refer to the abolished subclasses from which these Collections were derived

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS

342 - 6 CLASS 342 COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS AND DEVICES (E.G., RADAR, RADIO NAVIGATION)